

# CRADLES

---

## X-Grip® for Phones and Tablets

| Part Number     | Ball Size  | Width Range    | Max Depth |
|-----------------|------------|----------------|-----------|
| RAM-HOL-UN7BU   | 1" ( B )   | 1.875" - 3.25" | .875"     |
| RAM-HOL-UN7BCU  | 1.5" ( C ) | 1.875" - 3.25" | .875"     |
| RAM-HOL-UN10BU  | 1" ( B )   | 1.75" - 4.5"   | .875"     |
| RAM-HOL-UN10BCU | 1.5" ( C ) | 1.75" - 4.5"   | .875"     |
| RAM-HOL-UN8BU   | 1" ( B )   | 2.5" - 5.75"   | .875"     |
| RAM-HOL-UN8BCU  | 1.5" ( C ) | 2.5" - 5.75"   | .875"     |
| * RAM-HOL-UN9U  | N/A        | 6.25" - 8.1"   | .875"     |
| * RAM-HOL-UN11U | N/A        | 7.25" - 8.75"  | .875"     |

\*cradle adapter required and sold separately

## Tab-Tite™ and Tab-Lock™ for 7" - 8" Tablets

| Part Number                          | Width Range                              | Height Range                                      | Depth Range                                | Features                                         |
|--------------------------------------|------------------------------------------|---------------------------------------------------|--------------------------------------------|--------------------------------------------------|
| RAM-HOL-TAB-SMU                      | 4" - 5.31"<br>4" - 5.31"<br>3.44" - 4.7" | 7" - 9.625"<br>7.375" - 10"<br>7" - 9.875"        | .13" - .56"<br>.13" - 1.06"<br>.13" - .44" | set of 3 end cups<br>non-locking                 |
| RAM-HOL-TABL-SMU                     | 4" - 5.31"<br>4" - 5.31"<br>3.44" - 4.7" | 6.75" - 8.75"<br>7.125" - 9.125"<br>6.75" - 8.75" | .13" - .56"<br>.13" - 1.06"<br>.13" - .44" | set of 3 end cups<br>locking                     |
| RAM-HOL-TAB2U                        | 4" - 5.31"                               | 7" - 9.625"                                       | .13" - .56"                                | non-locking                                      |
| RAM-HOL-TABL2U                       | 4" - 5.31"                               | 6.75" - 8.75"                                     | .13" - .56"                                | locking                                          |
| RAM-HOL-TAB4U                        | 4" - 5.31"                               | 7.375" - 10"                                      | .13" - 1.06"                               | non-locking                                      |
| RAM-HOL-TABL4U                       | 4" - 5.31"                               | 7.125" - 9.125"                                   | .13" - 1.06"                               | locking                                          |
| RAM-HOL-TAB5U                        | 3.44" - 4.7"                             | 7" - 9.875"                                       | .13" - .44"                                | non-locking                                      |
| RAM-HOL-TABL5U                       | 3.44" - 4.7"                             | 6.75" - 8.75"                                     | .13" - .44"                                | locking                                          |
| RAM-HOL-TAB11U<br>for iPad mini 1-3  | 5.06" - 5.31"                            | 6.8" - 10.55"                                     | .13" - .56"                                | non-locking<br>retains factory<br>charging cable |
| RAM-HOL-TABL11U<br>for iPad mini 1-3 | 5.06" - 5.31"                            | 6.55" - 9.8"                                      | .13" - .56"                                | locking<br>retains factory<br>charging cable     |
| RAM-HOL-TAB12U                       | 5.06" - 5.68"                            | 7.125" - 9.5"                                     | .13" - 1"                                  | non-locking                                      |
| RAM-HOL-TABL12U                      | 5.06" - 5.68"                            | 6.75" - 8.75"                                     | .13" - 1"                                  | locking                                          |
| RAM-HOL-TAB16U                       | 3.625" - 5.05"                           | 7.5" - 9.875"                                     | .13" - .82"                                | non-locking                                      |

|                 |                |                 |             |             |
|-----------------|----------------|-----------------|-------------|-------------|
| RAM-HOL-TABL16U | 3.625" - 5.05" | 7.25" - 9.875"  | .13" - .82" | locking     |
| RAM-HOL-TAB18U  | 3.75" - 4.7"   | 7.5" - 10.125"  | .13" - .43" | non-locking |
| RAM-HOL-TABL18U | 3.75" - 4.7"   | 7.25" - 9.25"   | .13" - .43" | locking     |
| RAM-HOL-TAB21U  | 3.6" - 4.56"   | 7.42" - 10"     | .13" - .72" | non-locking |
| RAM-HOL-TABL21U | 3.6" - 4.56"   | 7" - 9.28"      | .13" - .72" | locking     |
| RAM-HOL-TAB22U  | 3" - 4.25"     | 7.38" - 9.99"   | .13" - .4"  | non-locking |
| RAM-HOL-TABL22U | 3" - 4.25"     | 6.96" - 9.24"   | .13" - .4"  | locking     |
| RAM-HOL-TAB23U  | 4.43" - 5.3"   | 8.32" - 10.92"  | .13" - .62" | non-locking |
| RAM-HOL-TABL23U | 4.43" - 5.3"   | 7.9" - 10.18"   | .13" - .62" | locking     |
| RAM-HOL-TAB24U  | 3.77" - 4.95"  | 8.08" - 10.69"  | .13" - .36" | non-locking |
| RAM-HOL-TABL24U | 3.77" - 4.95"  | 7.66" - 9.94"   | .13" - .36" | locking     |
| RAM-HOL-TAB27U  | 4.3" - 5.3"    | 7.88" - 10.38"  | 0" - .37"   | non-locking |
| RAM-HOL-TABL27U | 4.3" - 5.3"    | 7.5" - 9.63"    | 0" - .37"   | locking     |
| RAM-HOL-TAB29U  | 5" - 5.88"     | 8.25" - 11"     | .3" - .67"  | non-locking |
| RAM-HOL-TABL29U | 5" - 5.88"     | 8.88" - 10.2"   | .3" - .67"  | locking     |
| RAM-HOL-TAB30U  | 4.75" - 5.375" | 7.82" - 10.375" | 0" - .3125" | non-locking |
| RAM-HOL-TABL30U | 4.75" - 5.375" | 7.75" - 10.875" | 0" - .3125" | locking     |

## EZ-Roll'r™ for 7" - 8" Tablets

| Part Number   | Fits                        |
|---------------|-----------------------------|
| RAM-HOL-AP20U | iPad mini 4                 |
| RAM-HOL-AP14U | iPad mini 1, 2, and 3       |
| RAM-HOL-SAM8U | Samsung Galaxy Tab 4 7.0    |
| RAM-HOL-SAM6U | Samsung Galaxy Tab 7.0 Plus |
| RAM-HOL-SAM4U | Samsung Galaxy Tab 7.0      |

## Tab-Tite™ and Tab-Lock™ for 9" - 10" Tablets

| Part Number      | Width Range                    | Height Range                     | Depth Range                | Features                         |
|------------------|--------------------------------|----------------------------------|----------------------------|----------------------------------|
| RAM-HOL-TAB-LGU  | 6.38" - 7.75"<br>6.38" - 8.25" | 8.5" - 11.13"<br>9.5" - 11.75"   | .13" - .56"<br>.13" - 1.1" | set of 2 end cups<br>non-locking |
| RAM-HOL-TABL-LGU | 6.38" - 7.75"<br>6.38" - 8.25" | 8.25" - 9.875"<br>9.25" - 11.25" | .13" - .56"<br>.13" - 1.1" | set of 2 end cups<br>locking     |
| RAM-HOL-TAB3U    | 6.38" - 7.75"                  | 8.5" - 11.13"                    | .13" - .56"                | non-locking                      |
| RAM-HOL-TABL3U   | 6.38" - 7.75"                  | 8.25" - 9.875"                   | .13" - .56"                | locking                          |
| RAM-HOL-TAB6U    | 6.05" - 6.8"                   | 8.625" - 11.25"                  | .13" - .5"                 | non-locking                      |
| RAM-HOL-TABL6U   | 6.05" - 6.8"                   | 8.375" - 10.375"                 | .13" - .5"                 | locking                          |
| RAM-HOL-TAB8U    | 6.38" - 8.31"                  | 9" - 11.5"                       | .13" - 1.12"               | non-locking                      |
| RAM-HOL-TABL8U   | 6.38" - 8.31"                  | 8.75" - 10.75"                   | .13" - 1.12"               | locking                          |
| RAM-HOL-TAB9U    | 6.38" - 9.25"                  | 10.625" - 12.625"                | .13" - 2"                  | non-locking                      |
| RAM-HOL-TABL9U   | 6.38" - 9.25"                  | 10.375" - 12.375"                | .13" - 2"                  | locking                          |
| RAM-HOL-TAB10U   | 6.38" - 8.62"                  | 9.75" - 12"                      | .13" - 1"                  | non-locking                      |
| RAM-HOL-TABL10U  | 6.38" - 8.62"                  | 9.5" - 11.5"                     | .13" - 1"                  | locking                          |
| RAM-HOL-TAB17U   | 6.38" - 8.25"                  | 9.5" - 11.75"                    | .13" - 1.1"                | non-locking                      |
| RAM-HOL-TABL17U  | 6.38" - 8.25"                  | 9.25" - 11.25"                   | .13" - 1.1"                | locking                          |
| RAM-HOL-TAB19U   | 6.5" - 7.75"                   | 10.75" - 13.375"                 | .13" - .93"                | non-locking                      |
| RAM-HOL-TABL19U  | 6.5" - 7.75"                   | 10.5" - 12.5"                    | .13" - .93"                | locking                          |
| RAM-HOL-TAB20U   | 6.55" - 7.43"                  | 9.5" - 12.125"                   | .3" - .875"                | non-locking                      |

|                                |               |                  |             |                                                  |
|--------------------------------|---------------|------------------|-------------|--------------------------------------------------|
| RAM-HOL-TABL20U                | 6.55" - 7.43" | 9.25" - 11.375"  | .3" - .875" | locking                                          |
| RAM-HOL-TAB25U                 | 6.13" - 7.4"  | 9.64" - 12.32"   | .13" - .7"  | non-locking                                      |
| RAM-HOL-TABL25U                | 6.13" - 7.4"  | 9.22" - 11.5"    | .13" - .7"  | locking                                          |
| RAM-HOL-TAB26U                 | 5.55" - 7"    | 9.38" - 12.11"   | .13" - .34" | non-locking                                      |
| RAM-HOL-TABL26U                | 5.55" - 7"    | 8.96" - 11.24"   | .13" - .34" | locking                                          |
| RAM-HOL-TAB28U                 | 5.5" - 6.625" | 9" - 11.75"      | 0" - .315"  | non-locking                                      |
| RAM-HOL-TABL28U                | 5.5" - 6.625" | 8.66" - 11"      | 0" - .315"  | locking                                          |
| RAM-HOL-TAB31U                 | 4.5" - 5.875" | 9.375" - 11.875" | 0" - .3125" | non-locking                                      |
| RAM-HOL-TABL31U                | 4.5" - 5.875" | 9.25" - 11.25"   | 0" - .3125" | locking                                          |
| RAM-HOL-TABD14U<br>for iPad 4  | 4.5" - 7.25"  | 8.5" - 11"       | 0" - .375"  | non-locking<br>retains factory<br>charging cable |
| RAM-HOL-TABDL14U<br>for iPad 4 | 4.5" - 7.25"  | 8.25" - 10.125"  | 0" - .375"  | locking<br>retains factory<br>charging cable     |

## EZ-Roll'r™ for 9" - 10" in Tablets

| Part Number     | Fits                                              |
|-----------------|---------------------------------------------------|
| RAM-HOL-AP15U   | iPad 2, 3 and 4                                   |
| RAM-HOL-AP17U   | iPad Air 1 and 2                                  |
| RAM-HOL-AP8D3U  | iPad 4<br>retains factory charging cable          |
| RAM-HOL-AP8D3LU | iPad 4, locking<br>retains factory charging cable |

## Tough-Tray™

| Part Number   | Tray Width Range | Tray Depth | Side Arm Height |
|---------------|------------------|------------|-----------------|
| RAM-234-3     | 10" - 16"        | 10"        | .5" - 1.75"     |
| * RAM-234-3FL | 10" - 16"        | 10"        | .5" - 1.75"     |
| RAM-234-6     | 8.56" - 11.12"   | 6"         | 2.75" max       |

\*includes flat side arms

## Rugged Hand-Held Device Cradles

| Part Number     | Compatible Devices                           | Power input                            | Ports                        |
|-----------------|----------------------------------------------|----------------------------------------|------------------------------|
| RAM-HOL-IN19PBU | Intermec CN50                                | 12-28V DC bare wire                    | USB Type A, mUSB, DB9 Serial |
| RAM-HOL-IN19PCU | Intermec CN50                                | 12-28V DC cigarette plug               | USB Type A, mUSB, DB9 Serial |
| RAM-HOL-IN11PU  | Intermec CN3 & CN4                           | 12-28V DC cigarette plug and bare wire | USB Type A, DB9 Serial       |
| RAM-HOL-SYM3PU  | Motorola MC5574, MC5590, MC55A0, MC65 & MC67 | 12-28V DC cigarette plug and bare wire | USB Type A, DB9 Serial       |

## Spring-Loaded Cradles

| Part Number  | Clamping Width | Height    | Compatible Devices                                               |
|--------------|----------------|-----------|------------------------------------------------------------------|
| RAM-VPR-102  | 8" - 14.5"     | Max 1.75" | Canon BJC-85, Canon i80, Canon i90, Canon iP100                  |
| RAM-VPR-103  | 9" - 15.5"     | Max 2.5"  | HP DeskJet 450, HP DeskJet 460, HP DeskJet 470, HP OfficeJet 100 |
| RAM-VPR-104  | 5.625" - 9.5"  | Max 1.75" | Fujitsu FP-1000                                                  |
| RAM-VPR-105  | 6.625" - 10.5" | Max 2.5"  | Printronix M4L                                                   |
| RAM-HOL-QD1U | 2" - 10.75"    | 2.625"    | Zebra MC9200, Zebra MC9190-Z                                     |

## Form-Fit Printer Cradles

| Part Number | Compatible Devices                                                                                                                              |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| RAM-VPR-101 | Brother PocketJet 3, Brother PocketJet 3 Plus, Brother PocketJet 6, Brother PocketJet 6 Plus, Brother PocketJet 673, Brother PocketJet 7 series |
| RAM-VPR-106 | Brother RuggedJet RJ-4030, Brother RuggedJet RJ-4040                                                                                            |

## Power-Grip™ Scanner Gun Cradle

| Part Number | Internal Width | Internal Length | Internal Depth |
|-------------|----------------|-----------------|----------------|
| RAP-396U    | 3.47"          | 2.16"           | 4.9"           |

## Drop-N-Lock™ Scanner Gun Cradle

| Part Number | Internal Width | Internal Length | Internal Depth |
|-------------|----------------|-----------------|----------------|
| RAP-317U    | 1.46"          | 2.5"            | 5.11"          |